

10.5
I
69
2.2
3
FIELDIANA
Zoology

Nat Hist Sur.

Published by Field Museum of Natural History

Volume 69, No. 2

November 22, 1976

**Supplementary Catalogue of Type Specimens
of Reptiles and Amphibians in
Field Museum of Natural History**

HYMEN MARX

CURATOR, AMPHIBIANS AND REPTILES
FIELD MUSEUM OF NATURAL HISTORY

The need for inventories of various systematic collections has become increasingly apparent as the size of research collections grew over the past decades (Wake et. al., 1975). This supplemental list of types was primarily stimulated into being by a report on herpetological collections (*ibid.*), growth of the Field Museum of Natural History herpetological collections, and the numerous requests for information on typic materials in the Edward H. Taylor collection deposited at this Museum.

The list of types in this text are of named forms of reptiles and amphibians not listed in the earlier "Type List" (Marx, 1958) plus holotypes of listed forms in that text subsequently added to the collection.

The total inventory of type material is summarized in Table 1.
Gretchen Anderson kindly typed this manuscript.

TABLE 1. Amount of named forms of amphibians and reptiles represented by typic specimens in Field Museum of Natural History (Marx, 1958; present text).

	Holotypes	Lectotype	Neotypes	Cotypes	Paratypes	Totals
Caecilians	8				9	17
Salamanders	59		1		66	126
Frogs	146			26	231	403
Crocodiles	3					3
Turtles	5			2	11	18
Lizards	121	1		13	196	331
Snakes	107		5	5	124	241
Totals	449	1	6	46	637	1,139

US ISSN 0015-0754

Library of Congress Catalog Number: 76-45053

Publication 1243

33 NATURAL HISTORY SURVEY NATURAL HISTORY SURVEY

FEB 28 1977 FEB 10 1977

LIBRARY

AMPHIBIA
APODA

Afrocaecilia taitana Loveridge; see *Boulengerula taitanus* (Loveridge)

Afrocaecilia uluguruensis Barbour and Loveridge; see *Boulengerula uluguruensis* (Barbour and Loveridge)

Boulengerula taitanus Loveridge, 1935
= *Afrocaecilia taitana* (Loveridge), 1935
3 paratypes

Kenya

Boulengerula uluguruensis Barbour and Loveridge, 1928
= *Afrocaecilia uluguruensis* (Barbour and Loveridge), 1928
3 paratypes

Tanganyika

Caecilia antioquiaensis Taylor, 1968
Holotype: FMNH 69680

Colombia

Caecilia occidentalis Taylor, 1968
Holotype: FMNH 189202

Colombia

Caecilia orientalis Taylor, 1968
3 paratypes

Ecuador

Caecilia perdita Taylor, 1968
1 paratype

Colombia

Caecilia subterminalis Taylor, 1968
Holotype: FMNH 189204

Ecuador

Caecilia volcani Taylor, 1969
8 paratypes

Panama

Dermophis balboai Taylor, 1968
2 paratypes

Colombia

Epicrinops petersi petersi Taylor, 1968 1 paratype	Ecuador
Gegeneophis ramaswanii Taylor, 1964 4 paratypes	India
Geotrypetes pseudoangeli Taylor, 1968 Holotype: FMNH 189185	Liberia
Ichthyophis mindanaoensis Taylor, 1960 Holotype: FMNH 50958; 15 paratypes	Mindanao
Ichthyophis subterrestris Taylor, 1960 Holotype: FMNH 73927	India
Ichthyophis supachaii Taylor, 1960 Holotype: FMNH 189246; 11 paratypes	Thailand
Ichthyophis youngorum Taylor, 1960 Holotype: FMNH 189250; 10 paratypes	Thailand
CAUDATA	
Ambystoma amblycephala Taylor, 1939 Holotype: FMNH 100104; 1 paratype	Mexico
Ambystoma bombypellum Taylor, 1940 Holotype: FMNH 100127	Mexico
Ambystoma fluvinatum Taylor, 1941 = <i>Ambystoma rosaceum</i> Taylor, 1941 Holotype: FMNH 100108; 8 paratypes	Mexico
Ambystoma granulosum Taylor, 1944 Holotype: FMNH 100106; 8 paratypes	Mexico

Ambystoma lacustris Taylor and Smith, 1945

9 paratypes

Mexico

Ambystoma lermaensis (Taylor); see *Siredon lermaensis* Taylor

Ambystoma ordinaria Taylor, 1940

Holotype: 100055; 7 paratypes

Mexico

Ambystoma rosaceum Taylor, 1941

Holotype: FMNH 100079; 4 paratypes

Mexico

also see *Ambystoma fluvinatum* Taylor, 1941

Ambystoma subsalsum Taylor, 1943

Holotype: FMNH 100007; 26 paratypes

Mexico

Aneides hardii (Taylor); see *Plethodon hardii* Taylor

Bolitoglossa arborea Taylor, 1941

= *Chiroppterotriton arboreus* (Taylor), 1941

Holotype: FMNH 100022; 11 paratypes

Mexico

Bolitoglossa capitana Brame and Wake, 1963

1 paratype

Colombia

Bolitoglossa cephalica rubrimembris Taylor and Smith, 1945

= *Pseudoeurycea cephalica rubrimembris* (Taylor and Smith),

1945

2 paratypes

Mexico

Bolitoglossa chondrostega Taylor, 1941

= *Chiroppterotriton c. chondrostega* (Taylor), 1941

Holotype: FMNH 100076; 10 paratypes

Mexico

Bolitoglossa cochranae Taylor, 1943

= *Pseudoeurycea cochranae* (Taylor), 1943

Holotype: FMNH 100091; 4 paratypes

Mexico

Bolitoglossa dimidiata Taylor, 1940= *Chiropeterotriton dimidiatus* (Taylor), 1940

Holotype: FMNH 100023; 1 paratype

Mexico

Bolitoglossa galaenae Taylor, 1941= *Pseudoeurycea galaenae* (Taylor), 1941

Holotype: FMNH 100113; 1 paratype

Mexico

Bolitoglossa lavae Taylor, 1942= *Chiropeterotriton lavae* (Taylor), 1942

Holotype: FMNH 100118; 88 paratypes

Mexico

Bolitoglossa mexicana Duméril and Bibron; see *Bolitoglossa moreleti* Smith; *Oedipus odonelli* Stuart

Bolitoglossa moreleti H. M. Smith, 1941= *Bolitoglossa mexicana* Duméril and Bibron, 1854

1 paratype

Mexico

Bolitoglossa nigroflavescens Taylor, 1941

7 paratypes

Mexico

Bolitoglossa occidentalis Taylor, 1941

16 paratypes

Mexico and Guatemala

Bolitoglossa muelleri (Brocchi); see *Oedipus odonelli* Stuart**Bolitoglossa savagei** Brame and Wake, 1963

1 paratype

Colombia

Bolitoglossa schizodactyla Wake and Brame, 1966

Holotype: FMNH 141241; 7 paratypes

Panama

Bolitoglossa terrestris Taylor, 1941= *Chiropeterotriton chondrostega terrestris* (Taylor), 1941

Holotype: FMNH 100121; 129 paratypes

Mexico

- Bolitoglossa unguidentis** Taylor, 1941
= *Pseudoeurycea smithi* (Taylor), 1938
Holotype: FMNH 100045; 13 paratypes Mexico
- Chiroppterotriton abscondens** Taylor, 1948
Holotype: FMNH 178285; 3 paratypes Costa Rica
- Chiroppterotriton arboreus** (Taylor); see *Bolitoglossa arborea* Taylor
- Chiroppterotriton c. chondrostega** (Taylor); see *Bolitoglossa chondrostega* Taylor
- Chiroppterotriton chondrostega cracens** Rabb, 1958
3 paratypes Mexico
- Chiroppterotriton chondrostega terrestris** (Taylor); see *Bolitoglossa terrestris* Taylor
- Chiroppterotriton dimidiatus** (Taylor); see *Bolitoglossa dimidiata* Taylor
- Chiroppterotriton lavae** (Taylor); see *Bolitoglossa lavae* Taylor
- Chiroppterotriton magnipes** Rabb, 1965
2 paratypes Mexico
- Cynops pyrrhogaster popei** (Inger); see *Triturus ensicaudus popei* Inger
- Dicamptodon copei** Nussbaum, 1970
3 paratypes Washington
- Eurycea aquatica** Rose and Bush, 1963
2 paratypes Alabama

Gyrinophilus palleucus gulolineatus Brandon, 1965

Holotype: FMNH 142327; 1 paratype

Tennessee

Gyrinophilus palleucus necturoides Lazell and Brandon, 1962
1 paratype

Tennessee

Oedipina bonitaensis Taylor, 1952= *Oedipina uniformis* Keferstein, 1868

3 paratypes

Costa Rica

Oedipina cyclocauda Taylor, 1952

39 paratypes

Costa Rica

Oedipina gracilis Taylor, 1952= *Oedipina uniformis* Keferstein, 1868

2 paratypes

Costa Rica

Oedipina uniformis Keferstein: see *Oedipina bonitaensis* Taylor;
Oedipina gracilis Taylor**Oedipus altamontanus** Taylor, 1939= *Pseudoeurycea altamontana* (Taylor), 1939

Holotype: FMNH 100035; 1 paratype

Mexico

Oedipus giganteus Taylor, 1939= *Pseudoeurycea bellii gigantea* (Taylor), 1939

2 paratypes

Mexico

Oedipus odonelli Stuart, 1943= *Bolitoglossa mexicana* Duméril and Bibron, 1854

1 paratype

Guatemala

Oedipus robertsi Taylor, 1939= *Pseudoeurycea robertsi* (Taylor), 1939

Holotype: FMNH 100002; 10 paratypes

Mexico

Oedipus smithi Taylor, 1939*= Pseudoeurycea smithi* (Taylor), 1939

Holotype: FMNH 100011; 21 paratypes

Mexico

Parvemolge richardi Taylor, 1949

Holotype: FMNH 178295

Costa Rica

Plethodon hardii Taylor, 1941*= Aneides hardii* (Taylor), 1941

Holotype: FMNH 100103

New Mexico

Plethodon longicrus Adler and Dennis, 1962

2 paratypes

North Carolina

Plethodon richmondi shenandoah Highton and Worthington,
1967

2 paratypes

Virginia

Plethodon stormi Highton and Brame, 1965

1 paratype

Oregon

Pseudoeurycea altamontana (Taylor); see *Oedipus altamontanus* Taylor**Pseudoeurycea bellii gigantea** (Taylor); see *Oedipus giganteus* Taylor**Pseudoeurycea c. cephalica** (Cope); see *Spelerves cephalicus* Cope**Pseudoeurycea cephalica rubrimembris** (Taylor and Smith);
see *Bolitoglossa cephalica rubrimembris* Taylor and Smith**Pseudoeurycea cochranae** (Taylor); see *Bolitoglossa cochranae* Taylor

Pseudoeurycea galaenae (Taylor); see *Bolitoglossa galaenae*
Taylor

Pseudoeurycea robertsi (Taylor); see *Oedipus robertsi* Taylor

Pseudoeurycea smithi (Taylor); see *Oedipus smithi* Taylor;
Bolitoglossa unguidentis Taylor

Rhyacosiredon leorae Taylor, 1943

Holotype: FMNH 100041; 1 paratype

Mexico

Rhyacosiredon rivularis Taylor, 1940

Holotype: FMNH 100003; 3 paratypes

Mexico

Siredon lermaensis Taylor, 1940

= *Ambystoma lermaensis* (Taylor), 1940

Holotype: FMNH 100029

Mexico

Spelerpes cephalicus Cope, 1865

= *Pseudoeurycea c. cephalica* (Cope), 1865

Neotype: FMNH 100018

Mexico

Thorius dubitus Taylor, 1941

Holotype: FMNH 100039; 36 paratypes

Mexico

Thorius narisovalis Taylor, 1940

Holotype: FMNH 100089; 46 paratypes

Mexico

Thorius schmidti Gehlbach, 1959

3 paratypes

Mexico

Thorius troglodytes Taylor, 1941

Holotype: FMNH 100112; 5 paratypes

Mexico

Triturus ensicaudus popei Inger, 1947

= *Cynops pyrrhogaster popei* (Inger), 1947

Holotype: FMNH 45039; 9 paratypes

Riu Kiu Ids.

SALIENTIA

Acrodytes inflata Taylor, 1944

= *Phrynohyas venulosa* (Laurenti), 1768

Holotype: FMNH 100046; 2 paratypes

Mexico

Agalychnis annae (Duellman); see *Phyllomedusa annae*

Duellman

Agalychnis callidrys (Cope); see *Phyllomedusa callidrys taylori*

Funkhouser

Amblyphrynus ingeri Cochran and Goin, 1961

Holotype: FMNH 81915

Colombia

Amolops kinabaluensis Inger, 1966

Holotype: FMNH 109798; 2 paratypes

North Borneo

Amphodus tuberculosus (Bokermann); see *Phyllodytes*

tuberculosus Bokermann

Ansonia fuliginea (Moquard); see *Nectophryne altitudinus* M. A.

Smith

Ansonia albomaculata Inger, 1960

Holotype: FMNH 81975; 6 paratypes

Sarawak

Ansonia guibei Inger, 1966

Holotype: FMNH 152159

North Borneo

Ansonia hanitschi Inger, 1960

2 paratypes

North Borneo

Ansonia l. longidigita Inger, 1960

7 paratypes

North Borneo and Sarawak

Ansonia longidigita gryllivoca Inger, 1960

Holotype: FMNH 77397; 18 paratypes

North Borneo

Ansonia malayana Inger, 1960

2 paratypes

Siam and Malaya

Ansonia minuta Inger, 1960

Holotype: FMNH 77424; 21 paratypes

Sarawak

Ansonia ornata Gunther, 1875

1 cotype

India

Ansonia platysoma Inger, 1960

Holotype: FMNH 28213; 2 paratypes

North Borneo

Arthrolepis troglodytes Poyton, 1963

1 paratype

Rhodesia

Atelopus ebenoides Rivero, 1963

Holotype: FMNH 69746

Colombia

Atelopus longibrachius Rivero, 1963

Holotype: FMNH 54283; 27 paratypes

Colombia

Atelopus loomisi Taylor; see *Atelopus varius loomisi* Taylor**Atelopus mindoensis** Peters, 1973

1 paratype

Ecuador

Atelopus nicefori Rivero, 1963

Holotype: FMNH 69748; 2 paratypes

Colombia

Atelopus pedimarmoratus Rivero, 1963

Holotype: FMNH 81872

Colombia

- Atelopus senex** Taylor, 1952
Holotype: FMNH 178224 Costa Rica
- Atelopus varius ambulatorius** Taylor, 1952
Holotype: FMNH 178270 Costa Rica
- Atelopus varius loomisi** Taylor, 1952
= *Atelopus loomisi* Taylor, 1952
3 paratypes Costa Rica
- Bufo biporcatus divergens** Peters; see *Bufo divergens* Peters
- Bufo cristiglans** Inger and Menzies, 1961
Holotype: FMNH 109741; 2 paratypes Sierre Leone
- Bufo divergens** Peters, 1871
= *Bufo biporcatus divergens* Peters, 1871
1 paratype Sarawak
- Bufo f. funereus** Bocage; see *Bufo funereus upembae* Schmidt and Inger
- Bufo funereus upembae** Schmidt and Inger, 1959
= *Bufo f. funereus* Bocage, 1866
14 paratypes Belgian Congo
- Bufo gemmifer** Taylor, 1940
Holotype: FMNH 100026; 8 paratypes Mexico
- Bufo juxtasper** Inger, 1964
Holotype: FMNH 77472; 30 paratypes Borneo
- Bufo koynanensis** Soman; see *Bufo sulphureus* Grandison and Daniel
- Bufo kelloggi** Taylor, 1938
Holotype: FMNH 100088; 16 paratypes Mexico

- | | | |
|---|--|---------------|
| Bufo mazatlanensis Taylor, 1940 | | Mexico |
| Holotype: FMNH 100027; 3 paratypes | | |
| also see <i>Bufo nayaritensis</i> Taylor | | |
| Bufo melanopleura Schmidt and Inger, 1959 | | Belgian Congo |
| 14 paratypes | | |
| Bufo nayaritensis Taylor, 1943 | | |
| = <i>Bufo mazatlanensis</i> Taylor, 1940 | | |
| Holotype: FMNH 100043; 4 paratypes | | Mexico |
| Bufo periglens Savage, 1966 | | Costa Rica |
| 3 paratypes | | |
| Bufo perplexus Taylor, 1943 | | Mexico |
| Holotype: FMNH 100053; 60 paratypes | | |
| Bufo sulphureus Grandison and Daniel, 1964 | | |
| = <i>Bufo koynanensis</i> Soman, 1963 | | |
| 1 paratype | | India |
| Bufo togoensis Ahl, 1924 | | Togoland |
| 1 paratype | | |
| Cacosternum magnaglandiferus Inger, 1959 | | |
| = <i>Cacosternum namum</i> Boulenger, 1887 | | |
| 5 paratypes | | South Africa |
| Cacosternum namum Boulenger: see <i>Cacosternum magnaglandiferus</i> Inger | | |
| Callixalus pictus Laurent, 1950 | | |
| 2 paratypes | | Congo |
| Centrolenella albomaculata Taylor, 1949 | | |
| 1 paratype | | Costa Rica |

- Centrolenella colymbiphyllum** Taylor, 1949
1 paratype Costa Rica
- Centrolenella granulosa** Taylor, 1949
Holotype: FMNH 178269 Costa Rica
- Centrolenella spinosa** Taylor, 1949
3 paratypes Costa Rica
- Centrolenella viridissima** Taylor, 1942
Holotype: FMNH 100093; 5 paratypes Mexico
- Ceratophrys stolzmannii scaphiopeza** Peters, 1967
1 paratype Ecuador
- Chaperina punctata** van Kampen, 1913
= *Sphenophryne macrorhyncha* (van Kampen), 1906
1 cotype New Guinea
- Chirixalus doriae** Boulenger, 1888
= *Philautus doriae* (Boulenger), 1888
1 paratype Burma
- Chrysobatrachus cupreonitens** Laurent, 1951
2 paratypes Congo
- Colostethus dunni** (Rivero); see *Prostheraspis dunni* Rivero
- Colostethus nubicola** (Dunn); see *Phyllobates flotator* Dunn;
Phyllobates nubicola Dunn
- Colostethus panamensis** (Dunn); see *Hyloxalus panamensis*
Dunn
- Cornufer beauforti** van Kampen, 1913
= *Platymantis beauforti* (van Kampen), 1913
2 cotypes Waigeu Id.

- | | |
|--|-----------------|
| Cornufer ingeri Brown and Alcala, 1963
= <i>Platymantis ingeri</i> (Brown and Alcala), 1963
2 paratypes | Philippine Ids. |
| Cornufer rivularis Taylor, 1922
= <i>Platymantis hazelae</i> Taylor, 1920
1 paratype | Philippine Ids. |
| Crossodactylus schmidti Gallardo, 1961
1 paratype | Argentina |
| Dendrobates fulguritus Silverstone, 1975
2 paratypes | Colombia |
| Eleutherodactylus alfredi conspicuus Taylor and Smith; see
<i>Eleutherodactylus conspicuus</i> Taylor and Smith | |
| Eleutherodactylus cactorum Taylor, 1939
= <i>Hylactophryne angusti</i> (Dugès), 1879
Holotype: FMNH 100021; 2 paratypes | Mexico |
| Eleutherodactylus caryophyllaceus (Barbour); see <i>Syrrhopus caryophyllaceus</i> Barbour | |
| Eleutherodactylus cochranae Grant, 1932
2 paratypes | Lesser Antilles |
| Eleutherodactylus conspicuus Taylor and Smith, 1945
= <i>Eleutherodactylus alfredi conspicuus</i> Taylor and Smith,
1945
2 paratypes | Guatemala |
| Eleutherodactylus costariciensis (Taylor); see <i>Microbatrachylus costariciensis</i> Taylor | |
| Eleutherodactylus crassidigitus Taylor, 1952
4 paratypes | Costa Rica |

- Centrolenella colymbiphyllum** Taylor, 1949
1 paratype Costa Rica
- Centrolenella granulosa** Taylor, 1949
Holotype: FMNH 178269 Costa Rica
- Centrolenella spinosa** Taylor, 1949
3 paratypes Costa Rica
- Centrolenella viridissima** Taylor, 1942
Holotype: FMNH 100093; 5 paratypes Mexico
- Ceratophrys stolzmannii scaphiopeza** Peters, 1967
1 paratype Ecuador
- Chaperina punctata** van Kampen, 1913
= *Sphenophryne macrorhyncha* (van Kampen), 1906
1 cotype New Guinea
- Chirixalus doriae** Boulenger, 1888
= *Philautus doriae* (Boulenger), 1888
1 paratype Burma
- Chrysobatrachus cupreonitens** Laurent, 1951
2 paratypes Congo
- Colostethus dunni** (Rivero); see *Prostheraspis dunni* Rivero
- Colostethus nubicola** (Dunn); see *Phyllobates flotator* Dunn;
Phyllobates nubicola Dunn
- Colostethus panamensis** (Dunn); see *Hyloxalus panamensis*
Dunn
- Cornufer beauforti** van Kampen, 1913
= *Platymantis beauforti* (van Kampen), 1913
2 cotypes Waigeo Id.

- Cornufer ingeri** Brown and Alcala, 1963
 = *Platymantis ingeri* (Brown and Alcala), 1963
 2 paratypes Philippine Ids.

Cornufer rivularis Taylor, 1922
 = *Platymantis hazelae* Taylor, 1920
 1 paratype Philippine Ids.

Crossodactylus schmidti Gallardo, 1961
 1 paratype Argentina

Dendrobates fulguritus Silverstone, 1975
 2 paratypes Colombia

Eleutherodactylus alfredi conspicuus Taylor and Smith; see
Eleutherodactylus conspicuus Taylor and Smith

Eleutherodactylus cactorum Taylor, 1939
 = *Hylactophryne angusti* (Dugès), 1879
 Holotype: FMNH 100021; 2 paratypes Mexico

Eleutherodactylus caryophyllaceus (Barbour); see *Syrrhopus caryophyllaceus* Barbour

Eleutherodactylus cochranae Grant, 1932
 2 paratypes Lesser Antilles

Eleutherodactylus conspicuus Taylor and Smith, 1945
 = *Eleutherodactylus alfredi conspicuus* Taylor and Smith,
 1945
 2 paratypes Guatemala

Eleutherodactylus costariciensis (Taylor); see *Microbatrachylus costariciensis* Taylor

Eleutherodactylus crassidigitus Taylor, 1952
 4 paratypes Costa Rica

Eleutherodactylus vocalis Taylor, 1940 Holotype: FMNH 100122; 4 paratypes	Mexico
Elosia magalhaesi Bokermann, 1964 1 paratype	Brazil
Elosia ornata Bokermann, 1967 1 paratype	Brazil
Eupsophus vertebralis Grandison, 1961 3 paratypes	Chile
Gastrophryne olivacea mazatlanensis (Taylor); see <i>Microhyla mazatlanensis</i> Taylor	
Gastrotheca aureomaculata Cochran and Goin, 1970 Holotype: FMNH 69701	Colombia
Gastrotheca medemi Cochran and Goin, 1970 1 paratype	Colombia
Hemisus marmoratus ingeri Laurent, 1972 3 paratypes	Congo
Hemisus wittei Laurent, 1963 3 paratypes	Congo
Hyla alleei Taylor, 1952 = <i>Hyla uranochroa</i> Cope, 1876 Holotype: FMNH 178234; 1 paratype	Costa Rica
Hyla arboricola Taylor, 1941 = <i>Hyla eximia</i> Baird, 1854 Holotype: FMNH 100131; 18 paratypes	Mexico
Hyla blairi Fouquette and Pyburn, 1972 1 paratype	Colombia

Hyla bogerti Cochran and Goin, 1970 9 paratypes	Colombia
Hyla bromeliana Taylor, 1939 = <i>Hyla taeniopus</i> Gunther, 1901 Holotype: FMNH 100075; 3 paratypes	Mexico
Hyla cardenasi Taylor, 1939 = <i>Hypa eximia</i> Baird, 1854 1 paratype	Mexico
Hyla carnifex Duellman, 1969 5 paratypes	Ecuador
Hyla carri Cochran and Goin, 1970 Holotype: FMNH 69702	Colombia
Hyla debilis Taylor, 1952 1 paratype	Costa Rica
Hyla erythromma Taylor, 1937 Holotype: FMNH 100083	Mexico
Hyla eximia Baird; see <i>Hyla arboricola</i> Taylor; <i>Hyla cardenasi</i> Taylor	
Hyla fimbirimembra Taylor, 1948 Holotype: FMNH 191784 also see <i>Hyla richardtaylori</i> Taylor	Costa Rica
Hyla godmani Gunther; see <i>Hyla rickardsi</i> Taylor	
Hyla guibei Cochran and Goin, 1970 Holotype: FMNH 54773	Colombia
Hyla hazelae Taylor, 1940 Holotype: FMNH 100047; 1 paratype	Mexico

- Hyla leali** Bokermann, 1964
1 paratype Brazil
- Hyla loquax** Gaige and Stuart, 1934
1 paratype Guatemala
- Hyla madeirae** Bokermann, 1964
1 paratype Brazil
- Hyla mathiassoni** Cochran and Goin, 1970
Holotype: FMNH 81779; 4 paratypes Colombia
- Hyla melanomma** Taylor, 1940
Holotype: FMNH 100074; 16 paratypes Mexico
- Hyla paramica** Rivero, 1961
2 paratypes Venezuela
- Hyla regilla cascadae** Jameson, Mackey and Richmond, 1966
18 paratypes Oregon
- Hyla regilla pacifica** Jameson, Mackey and Richmond, 1966
18 paratypes Oregon
- Hyla regilla palouse** Jameson, Mackey and Richmond, 1966
5 paratypes Oregon
- Hyla regilla sierra** Jameson, Mackey and Richmond, 1966
7 paratypes California
- Hyla regilla wrightorum** Taylor; see *Hyla wrightorum* Taylor
- Hyla richardtaylori** Taylor, 1948
= *Hyla fimbriemembra* Taylor, 1948
Holotype: FMNH 191783 Costa Rica

Hyla rickardsi Taylor, 1939		
= <i>Hyla godmani</i> Gunther, 1901		
Holotype: FMNH 100077; 82 paratypes		Mexico
Hyla rivularis Taylor, 1952		
4 paratypes		Costa Rica
Hyla robertmertensi Taylor, 1937		
Holotype: FMNH 100096; 72 paratypes		Mexico
Hyla robertsorum Taylor, 1940		
Holotype: FMNH 100124; 31 paratypes		Mexico
Hyla rubracyla Cochran and Goin, 1970		
1 paratype		Colombia
Hyla rufioculis Taylor, 1952		
16 paratypes		Costa Rica
Hyla rufitela Fouquette, 1961		
Holotype: FMNH 13053; 5 paratypes		Panama
Hyla sanquinolenta van Kampen, 1909		
1 cotype		New Guinea
Hyla smaragdina Taylor, 1940		
Holotype: FMNH 100009; 19 paratypes		Mexico
Hyla taeniopus Gunther; see <i>Hyla bromeliana</i> Taylor		
Hyla tritaeniata Bokermann, 1965		
1 paratype		Brazil
Hyla trux Adler and Dennis, 1972		
1 paratype		Mexico

Hyla uranochroa Cope; see *Hyla alleei* Taylor

Hyla vilsoniana meridensis Rivero, 1961

2 paratypes

Venezuela

Hyla walfordi Bokermann, 1962

1 paratype

Brazil

Hyla wrightorum Taylor, 1939

= *Hyla regilla wrightorum* Taylor, 1939

1 paratype

Arizona

Hylactophryne augusti (Dugès); see *Eleutherodactylus cactorum*
Taylor

Hylarana maosonensis Bourret, 1937

= *Rana maosonensis* (Bourret), 1937

2 cotypes

Indo-China

Hylohalalus panamensis Dunn, 1933

= *Colostethus panamensis* (Dunn), 1933

1 paratype

Panama

Hyperolius bayoni (Boulenger); see *Rappia bayoni* Boulenger

Hyperolius castaneus constellatus Laurent, 1951

2 paratypes

Congo

Hyperolius frontalis Laurent, 1950

2 paratypes

Congo

Hyperolius kibarae Laurent, 1957

409 paratypes

Belgian Congo

Hyperolius lateralis bogerti Laurent, 1951

2 paratypes

Congo

Hyperolius lateralis capnodogaster Laurent, 1951		
2 paratypes		Congo
Hyperolius lateralis guibi Laurent, 1951		
2 paratypes		Congo
Hyperolius lateralis kochi Laurent, 1951		
2 paratypes		Congo
Hyperolius lateralis pulcherrimus Laurent, 1951		
2 paratypes		Congo
Hyperolius leucotaenius Laurent, 1950		
2 paratypes		Congo
Hyperolius marmoratus epheboide Laurent, 1957		
218 paratypes		Belgian Congo
Hyperolius platyceps major Laurent, 1957		
32 paratypes		Belgian Congo
Hyperolius platyceps olbrechtsi Laurent, 1952		
2 paratypes		Congo
Hyperolius viridiflavus francoisi Laurent, 1950		
2 paratypes		Congo
Hyperolius viridiflavus hybridus Laurent, 1951		
2 paratypes		Congo
Hyperolius viridiflavus intermedius Laurent, 1950		
2 paratypes		Congo
Hyperolius viridiflavus xanthorammus Laurent, 1950		
2 paratypes		Congo

- | | | |
|--|-------------------|--------|
| Hypopachus alboventer Taylor, 1940 | | |
| Holotype: FMNH 100085; 9 paratypes | | Mexico |
| Hypopachus caprimimus Taylor, 1940 | | |
| Holotype: FMNH 100086; 17 paratypes | | Mexico |
| Hypopachus cuneus nigroreticulatus Taylor, 1940 | | |
| Holotype: FMNH 100064; 57 paratypes | | Mexico |
| Hypopachus maculatus Taylor, 1940 | | |
| Holotype: FMNH 100087; 2 paratypes | | Mexico |
| Hypopachus ovis Taylor, 1940 | | |
| = <i>Hypopachus oxyrhinus ovis</i> Taylor, 1940 | | |
| Holotype: FMNH 100078; 34 paratypes | | Mexico |
| Hypopachus oxyrhinus ovis Taylor; see <i>Hypopachus ovis</i> Taylor | | |
| Ixalus parvulus Boulenger, 1888 | | |
| = <i>Philautus parvulus</i> (Boulenger), 1888 | | |
| 1 paratype | | Burma |
| Kalophrynxus intermedius Inger, 1966 | | |
| Holotype: FMNH 139348; 2 paratypes | | Borneo |
| Kalophrynxus subterrestris Inger, 1966 | | |
| Holotype: FMNH 150421; 11 paratypes | | Borneo |
| Kassina ingeri Laurent, 1963 | | |
| Holotype: FMNH 133011; 1 paratype | Northern Rhodesia | |
| Leptobrachium hasselti Tschudi; see <i>Leptobrachium hendricksoni</i> Taylor | | |
| Leptobrachium hasseltii pullus (M. A. Smith); see <i>Megalophrys hasseltii</i> var. <i>pullus</i> M. A. Smith | | |

- Leptobrachium hendricksoni** Taylor, 1962
 = *Leptobrachium hasseltii* Tschudi, 1838
 Holotype: FMNH 178259; 2 paratypes Thailand
- Leptobrachium minimum** Taylor, 1962
 = *Megophrys minimum* (Taylor), 1962
 Holotype: FMNH 178228; 2 paratypes Thailand
- Leptobatrachium nigrops** Berry and Hendrickson, 1963
 Holotype: FMNH 134719; 1 paratype Malaya
- Leptodactylus occidentalis** Taylor, 1936
 Holotype: FMNH 100015; 23 paratypes Mexico
- Leptopelis modestus fiziensis** Laurent, 1973
 2 paratypes Congo
- Leptopelis ocellatus schitzi** Laurent, 1973
 2 paratypes Congo
- Leptopelis parvus** Schmidt and Inger, 1959
 3 paratypes Belgian Congo
- Limnodynastes convexiusculus** (Macleay); see *Phanerotis novae-guinea* Van Kampen
- Megalophrys hasseltii** var. **pullus** M. A. Smith, 1921
 = *Leptobrachium hasseltii pullus* (M. A. Smith), 1921
 1 cotype Indo-China
- Megophrys brachykolos** Inger and Romer, 1961
 Holotype: FMNH 69063; Paratypes: 10 adults
 and 11 larvae Hong Kong and China
 One of the paratypes is also a paratype of *Megalophrys kuatunensis* (Pope)
- Megophrys minimus** (Taylor); see *Leptobrachium minimum*
 Taylor

Mertensophryne schmidti Grandison, 1972

8 paratypes

Congo

Micrixalus magnapustulosus Taylor and Elbel, 1958= *Oeidozyga magnapustulosus* (Taylor and Elbel), 1958

Holotype: FMNH 172780

Thailand

Microbatrachylus albolabris Taylor, 1940= *Eleutherodactylus pygmaeus* Taylor, 1936

Holotype: FMNH 100071; 4 paratypes

Mexico

Microbatrachylus costaricensis Taylor, 1952= *Eleutherodactylus costaricensis* (Taylor), 1952

Holotype: FMNH 178240

Costa Rica

Microbatrachylus lineatissimus Taylor, 1941= *Eleutherodactylus lineatissimus* (Taylor), 1941

Holotype: FMNH 100036; 3 paratypes

Mexico

Microbatrachylus minimus Taylor, 1940= *Eleutherodactylus pygmaeus* Taylor, 1936

Holotype: FMNH 100323; 4 paratypes

Mexico

Microbatrachylus montanus Taylor, 1942= *Eleutherodactylus sartori* Lynch, 1965

1 paratype

Mexico

Microbatrachylus oaxacae Taylor, 1940= *Eleutherodactylus oaxacae* (Taylor), 1940

Holotype: FMNH 100001; 8 paratypes

Mexico

Microbatrachylus reariki Taylor, 1952= *Eleutherodactylus reariki* (Taylor), 1952

5 paratypes

Costa Rica

Microhyla inornata lineata Taylor, 1962

Holotype: FMNH 178245; 4 paratypes

Thailand

- Microhyla mazatlanensis** Taylor, 1943
 = *Gastrophryne olivacea mazatlanensis* (Taylor), 1943
 Holotype: FMNH 100040; 2 paratypes Mexico
- Nectophryne altitudinus** M. A. Smith, 1931
 = *Ansonia fuliginea* (Mocquard) 1890
 1 paratype North Borneo
- Nectophrynoides mirei** Perret, 1971
 2 paratypes Cameroun
- Ooeidozyga magnapustulosus** (Taylor and Elbel); see
Micrixulus magnapustulosus Taylor and Elbel
- Oreophryne biroi** (Méhely); see *Sphenophryne loriae* Boulenger
- Oreophryne kampeni** Parker, 1934
 1 paratype New Guinea
 This specimen is also a cotype of *Sphenophryne loriae* Boulenger.
- Otophryne robusta steyermarki** Rivero, 1967
 Holotype: FMNH 74031; 1 paratype Venezuela
- Pedostibes rugosus** Inger, 1958
 Holotype: FMNH 81297 Sarawak
- Pelophryne albotaeniata** Barbour, 1938
 1 paratype Philippine Ids.
- Phanerotis novae-guinea** Van Kampen, 1909
 = *Limnodynastes convexiusculus* (Macleay), 1878
 1 cotype New Guinea
- Philautus doriae** (Boulenger); see *Chirixalus doriae* Boulenger
- Philautus gauni** Inger, 1966
 Holotype: FMNH 136314; 14 paratypes Borneo

Philautus hansenae Cochran, 1927

1 paratype

Thailand

Philautus nongkhorensis Cochran, 1927

1 paratype

Thailand

Philautus parvulus (Boulenger); see *Ixalus parvulus* Boulenger**Phrynobatrachus anotis** Schmidt and Inger, 1959

15 paratypes

Belgian Congo

Phrynobatrachus cryptotis Schmidt and Inger, 1959

15 paratypes

Belgian Congo

Phrynohyas venulosa (Laurenti); see *Acrodytes inflata* Taylor**Phrynoporus peraccae** Lynch, 1975

1 paratype

Ecuador

Phyllobates flotator Dunn, 1931= *Colostethus nubicola* (Dunn), 1924

5 paratypes

Panama

Phyllobates mertensi Cochran and Goin, 1964

Holotype: FMNH 54456; 9 paratypes

Colombia

Phyllobates nubicola Dunn, 1924= *Colostethus nubicola* (Dunn), 1924

1 paratype

Panama

Phyllobates thorntoni Cochran and Goin, 1970

2 paratypes

Colombia

Phyllodytes tuberculosus Bokermann, 1966= *Amphodus tuberculosus* (Bokermann), 1966

1 paratype

Brazil

- Phyllomedusa annae** Duellman, 1963
 = *Agalychnis annae* (Duellman), 1963
 1 paratype Costa Rica
- Phyllomedusa callidryas taylori** Funkhouser, 1957
 = *Agalychnis callidryas* (Cope), 1862
 Holotype: FMNH 100166; 29 paratypes Mexico
- Physalaemus centralis** Bokermann, 1962
 2 paratypes Brazil
- Physalaemus cicada** Bokermann, 1966
 1 paratype Brazil
- Physalaemus jordanensis** Bokermann, 1967
 1 paratype Brazil
- Physalaemus neglectus dunni** Cochran and Goin, 1970
 2 paratypes Colombia
- Physalaemus obtectus** Bokermann, 1966
 1 paratype Brazil
- Physalaemus riograndensis** Milstead, 1960
 Holotype: FMNH 82578; 5 paratypes Brazil
- Platymantis beauforti** (van Kampen); see *Cornufer beauforti*
 van Kampen
- Platymantis hazelae** (Taylor); see *Cornufer rivularis* Taylor
- Platymantis ingeri** (Brown and Alcala); see *Cornufer ingeri*
 Brown and Alcala
- Plectrohyla cotzicensis** Stuart, 1958
 = *Plectrohyla glandulosa* (Boulenger), 1883
 1 paratype Guatemala

Plectrohyla glandulosa (Boulenger); see *Plectrohyla cotzicensis*
Stuart

Plectrohyla sagorum Hartweg, 1941

1 paratype

Mexico

Prostheraspis dunnii Rivero, 1961

= *Colostethus dunnii* (Rivero), 1961

Holotype: FMNH 35987; 8 paratypes

Venezuela

Pseudis paradoxus caribensis Gallardo, 1961

2 paratypes

Trinidad

Pseudis paradoxus nicefori Cochran and Goin, 1970

1 paratype (larva)

Colombia

Pseudis paradoxus platensis Gallardo, 1961

2 paratypes

Paraguay

Ptychohyla adipoventris Taylor, 1944

4 paratypes

Mexico

Rana albolorbris adiscifera Schmidt and Inger, 1959

= *Rana darlingi* Boulenger, 1902

Holotype: FMNH 21171; 1 paratype

Angola

Rana darlingi Boulenger; see *Rana albolorbris adiscifera* Schmidt
and Inger

Rana desaegeri Laurent, 1972

10 paratypes

Belgian Congo

Rana doriae Boulenger, 1887

1 paratype

Burma

Rana fasciculispina Inger, 1970

1 paratype

Thailand

- Rana humeralis** Boulenger, 1887
1 paratype Burma
- Rana ibanorum** Inger, 1964
Holotype: FMNH 76894; 83 paratypes Borneo
- Rana kohchangae** M. A. Smith, 1922
1 cotype Thailand
- Rana lighti** Taylor, 1934
= *Rana plancyi* Lataste, 1880
1 paratype China
- Rana maosonensis** (Bourret); see *Hylarana maosonensis* Bourret
- Rana mascareniensis** Duméril and Bibron; see *Rana mascareniensis hylaea* Schmidt and Inger
- Rana mascareniensis hylaea** Schmidt and Inger, 1959
= *Rana mascareniensis* Duméril and Bibron, 1841
Holotype: FMNH 57965; 28 paratypes Liberia, French Cameroon, Belgian Congo
- Rana megapoda** Taylor, 1942
Holotype: FMNH 100025; 5 paratypes Mexico
- Rana microdisca finchi** Inger, 1966
Holotype: FMNH 77499; 24 paratypes plus larvae Borneo
- Rana microtympanum** Van Kampen, 1907
= *Rana modesta* Boulenger, 1882
1 cotype Celebes
- Rana milleti** M. A. Smith, 1921
1 cotype Indo-China

Rana (Paa) minica Dubois, 1975

1 paratype

Nepal

Rana modesta Boulenger; see *Rana microtympanum* Van Kampen

Rana obscura Schmidt and Inger, 1959

13 paratypes

Belgian Congo

Rana paramacrodon Inger, 1966

Holotype: FMNH 76883; 22 paratypes

Borneo

Rana paramacrodon kenepaiensis Inger, 1966

1 paratype

Sarawak

Rana pipiens Schreber; see *Rana taylori* H. M. Smith

Rana plancyi Lataste; see *Rana lighti* Taylor

Rana ruwenzorica Laurent, 1972

10 paratypes

Belgian Congo

Rana sierramadrensis Taylor, 1939

Holotype: FMNH 100038; 3 paratypes

Mexico

Rana signata (Gunther); see *Rana yakani* Taylor

Rana spinulosa M. A. Smith, 1923

1 paratype

China

Rana taylori H. M. Smith, 1959

= *Rana pipiens* Schreber, 1782

Holotype: FMNH 103210; 2 paratypes

Costa Rica

Rana ukembae Schmidt and Inger, 1959

6 paratypes

Belgian Congo

- | | |
|---|---------------------|
| Rana yakani Taylor, 1922
= <i>Rana signata</i> (Gunther), 1872
3 paratypes | Philippine Ids. |
| Rappia bayoni Boulenger, 1911
= <i>Hyperolius bayoni</i> (Boulenger), 1911
1 paratype | Uganda |
| Rhacophorus bisacculus Taylor, 1962
Holotype: FMNH 178202 | Thailand |
| Rhacophorus harrissoni Inger and Haile, 1960
Holotype: FMNH 83075 | Sarawak |
| Rhacophorus rufipes Inger, 1966
Holotype: FMNH 147699; 8 paratypes | Sarawak |
| Rheobatrachus silus Liem, 1973
1 paratype | Australia |
| Smilisca sila Duellman and Treub, 1966
52 paratypes | Panama and Colombia |
| Sphaenorhynchus bromelicola Bokermann, 1966
1 paratype | Brazil |
| Sphenophryne loriae Boulenger, 1898
= <i>Oreophryne biroi</i> (Méhely), 1897
1 cotype
This specimen is also a paratype of <i>Oreophryne kampeni</i> Parker. | New Guinea |
| Sphenophryne macrorhynchus (van Kampen); see <i>Chaperina punctata</i> van Kampen | |
| Staurois parvus Inger and Haile, 1960
= <i>Staurois tuberilinguis</i> Boulenger, 1918
Holotype: FMNH 83076 | Sarawak |

Staurois tuberilinguis Boulenger; see *Staurois parvus* Inger and Haile

Stefania ginesi Rivero, 1966

Holotype: FMNH 74041

Venezuela

Syrrhophus guttilatus (Cope); see *Syrrhophus smithi* Taylor

Syrrhophus latodactylus Taylor, 1940

= *Syrrhophus longipes* (Baird), 1859

Holotype: FMNH 100063; 3 paratypes

Mexico

Syrrhophus longipes (Baird); see *Syrrhophus latodactylus* Taylor

Syrrhophus macrotypanum (Taylor); see *Tomodactylus macrotypanum* Taylor

Syrrhophus modestus Taylor, 1942

Holotype: FMNH 100048; 2 paratypes

Mexico

Syrrhophus nebulosus Taylor, 1943

= *Syrrhophus pilans nebulosus* Taylor, 1943

Holotype: FMNH 100095; 12 paratypes

Mexico

Syrrhophus pilans Taylor, 1940

Holotype: FMNH 100072; 21 paratypes

Mexico

Syrrhophus pilans nebulosus Taylor; see *Syrrhophus nebulosus* Taylor

Syrrhophus smithi Taylor, 1940

= *Syrrhophus guttilatus* (Cope), 1879

1 paratype

Mexico

Syrrhopus caryophyllaceus Barbour, 1928

= *Eleutherodactylus caryophyllaceus* (Barbour), 1928

2 paratypes

Panama

Taudactylus eungellensis Liem and Hosmer, 1973		
3 paratypes		Australia
Taudactylus rheophilus Liem and Hosmer, 1973		
3 paratypes		Australia
Tomodactylus albolabris Taylor, 1943		
Holotype: FMNH 100082; 3 paratypes		Mexico
Tomodactylus angustidigitorum Taylor, 1940		
Holotype: FMNH 100126; 13 paratypes		Mexico
Tomodactylus macrotympanum Taylor, 1940		
= <i>Syrrhophus macrotympanum</i> (Taylor), 1940		
Holotype: FMNH 100049; 15 paratypes		Mexico
Xenobatrachus ocellatus (van Kampen); see <i>Xenorhina ocellata</i> van Kampen		
Xenorhina ocellata van Kampen, 1913		
= <i>Xenobatrachus ocellatus</i> (van Kampen), 1913		
1 cotype		New Guinea

REPTILIA**TESTUDINATA**

Batrachemys dahli (Zangerl and Medem); see *Phrynops dahli*
Zangerl and Medem

Kinosternon flavescens stejnegeri Hartweg, 1938

5 paratypes Mexico

Phryops (Batrachemys) dahli Zangerl and Medem, 1958

= *Batrachemys dahli* (Zangerl and Medem), 1958
Holotype: FMNH 75980; 3 paratypes Colombia

Pseudemys scripta taylori Legler, 1960

1 paratype

Mexico

SAURIA

Acanthodactylus gongrohynchatus Anderson and Leviton,
1967

1 paratype

Saudi Arabia

Agama badakhshana Anderson and Leviton, 1969

Holotype: FMNH 161108; 1 paratype

Afghanistan

Agama nuristanica Anderson and Leviton, 1969

Holotype: FMNH 161136

Afghanistan

Agama paragama Grandison, 1968

1 paratype

Nigeria

Agama stoliczkanai altaica G. Peters, 1971

1 paratype

Mongolia

Alopoglossus plicatus Taylor, 1949= *Ptychoglossus plicatus* (Taylor), 1949

1 paratype

Costa Rica

Ameiva chaitzami Stuart; see *Ameiva undulata thomasi* H. M.
Smith and Laufe**Ameiva festiva** (Lichtenstein and Von Marlens); see *Ameiva
festiva occidentalis* Taylor**Ameiva festiva occidentalis** Taylor, 1956= *Ameiva festiva* (Lichtenstein and Martens), 1856

Holotype: 120236; 2 paratypes

Costa Rica

Ameiva undulata (Wiegmann); see *Ameiva undulata amphi-
gramma* H. M. Smith and Laufe; *Ameiva undulata dextra*

H. M. Smith and Laufe; *Ameiva undulata gaigeae* H. M. Smith and Laufe; *Ameiva undulata podarga* H. M. Smith and Laufe; *Ameiva undulata sinistra* H. M. Smith and Laufe

Ameiva undulata amphigamma H. M. Smith and Laufe, 1945
 = *Ameiva undulata* (Wiegmann), 1834
 Holotype: FMNH 100020; 12 paratypes Mexico

Ameiva undulata dextra H. M. Smith and Laufe, 1946
 = *Ameiva undulata* (Wiegmann), 1834
 Holotype: FMNH 100080; 5 paratypes Mexico

Ameiva undulata gaigeae H. M. Smith and Laufe, 1946
 = *Ameiva undulata* (Wiegmann), 1834
 Holotype: FMNH 100030 Mexico

Ameiva undulata podarga H. M. Smith and Laufe, 1946
 = *Ameiva undulata* (Wiegmann), 1834
 Holotype: FMNH 100050; 7 paratypes Mexico

Ameiva undulata sinistra H. M. Smith and Laufe, 1946
 = *Ameiva undulata* (Wiegmann), 1834
 Holotype: FMNH 100054; 17 paratypes Mexico

Ameiva undulata thomasi H. M. Smith and Laufe, 1946
 = *Ameiva chaitzami* Stuart, 1942
 Holotype: FMNH 100006; 5 paratypes Mexico

Amphisbaena munoai Klappenbach, 1960
 3 paratypes Uruguay

Anolis annectens Williams, 1974
 Holotype: FMNH 5679 Colombia

Anolis bonairensis Ruthven, 1923
 1 paratype Dutch Leeward Ids.

Anolis dissimilis Williams, 1965

Holotype: FMNH 81369

Peru

Anolis dunni H. M. Smith, 1936

Holotype: FMNH 100109

Mexico

Anolis eewi Roze, 1958

Holotype: FMNH 74040

Venezuela

Anolis megalpholidotus H. M. Smith, 1933

Holotype: FMNH 100105

Mexico

Anolis vociferans Myers, 1971

3 paratypes

Panama

Anolis woodi attenuatus Taylor, 1956

1 paratype

Costa Rica

Aphaniotis acutirostris Modigliani, 1889

1 paratype

Nias Id.

Aprasia parapulchella Kluge, 1974

1 paratype

Australia

Asaccus griseonotus Dixon and Anderson, 1973

Holotype: FMNH 170824; 8 paratypes

Iran; Iraq

Aulacoplax leptosoma Brown and Fehlmann, 1958

2 paratypes

Palau Ids.

Bachia scolecooides Vanzolini, 1961

1 paratype

Brazil

Bachia talpa Ruthven, 1935

1 paratype

Colombia

- Basiliscus barbouri** Ruthven, 1914
 = *Basiliscus basiliscus barbouri* Ruthven, 1914
 1 paratype Colombia
- Brachymeles cebuensis** Brown and Rabor, 1967
 1 paratype Philippine Ids.
- Brachymeles gracilis boholensis** Brown and Rabor, 1967
 1 paratype Philippine Ids.
- Brachymeles gracilis mindorensis** Brown and Rabor, 1967
 1 paratype Philippine Ids.
- Brachymeles hilong** Brown and Rabor, 1967
 26 paratypes Philippine Ids.
- Brachymeles schadenbergi orientalis** Brown and Rabor, 1967
 1 paratype Philippine Ids.
- Cnemaspis kumpoli** Taylor, 1963
 Holotype: FMNH 178268 Thailand
- Cnemidophorus burti** Taylor, 1938
 Holotype: FMNH 100004; 4 paratypes Mexico
- Cnemidophorus communis australis** Gadow, 1906
 = *Cnemidophorus sackii australis* Gadow, 1906
 25 cotypes Mexico
 Twelve of these cotypes are also paratypes of
Cnemidophorus parvisocius Zweifel.
- Cnemidophorus cozumelas rodecki** McCoy and Maslin, 1962
 3 paratypes Mexico
- Cnemidophorus laredoensis** McKinney, Kay and Anderson,
 1973
 3 paratypes Texas

- Cnemidophorus murinus ruthveni** Burt, 1935
5 paratypes West Indies
- Cnemidophorus parvisocius** Zweifel, 1960
12 paratypes Mexico
The 12 specimens also are cotypes of *Cnemidophorus communis australis* Gadow.
- Cnemidophorus sackii australis** Gadow; see *Cnemidophorus communis australis* Gadow
- Cnemidophorus septemvittatus pallidus** Duellman and Zweifel, 1962
4 paratypes Mexico
- Cnemidophorus tigris punctatus** Walker and Maslin, 1965
2 paratypes Mexico
- Coleonyx elegans nemoralis** Klauber, 1945
Holotype: FMNH 100010; 2 paratypes Mexico
- Crotophylus wislizeni punctatus** Tanner and Banta, 1963
1 paratype Utah
- Ctenoblepharis schmidti** Marx, 1960
Holotype: FMNH 5759; 1 paratype Chile
- Ctenosaura hemilopha macrolopha** H. M. Smith, 1972
Holotype: FMNH 108705 Mexico
- Cyrtodactylus cavernicolus** Inger and King, 1962
Holotype: FMNH 128388; 12 paratypes Sarawak
- Cyrtodactylus pequensis zebraicus** Taylor, 1962
Holotype: FMNH 178286 Thailand
- Cyrtodactylus pubisculus** Inger, 1957
Holotype: FMNH 76251; 2 paratypes Sarawak

- Cyrtodactylus quadrivirgata** Taylor, 1962
 Holotype: FMNH 178214; 1 paratype Thailand
- Cyrtodactylus redimiculus** King, 1962
 1 paratype Palawan
- Cyrtodactylus russowi** (Strauch); see *Gymnodactylus russowi* Strauch
- Davewakeum miriamae** Heyer, 1972
 Holotype: FMNH 182550; 12 paratypes Thailand
- Delma inornata** Kluge, 1974
 1 paratype Australia
- Dibamus alfredi** Taylor, 1962
 Holotype: FMNH 178336; 2 paratypes Thailand
- Diplodactylus williamsi** Kluge, 1963
 2 paratypes Australia
- Draco beccarii** Peters and Doria, 1878
 1 paratype Celebes
- Draco modigliani** Vinciguerra, 1892
 1 paratype Enggaro Id.
- Emoia ruficauda** Taylor, 1915
 1 paratype Philippine Ids.
- Emoia slevini** Brown and Falanrun, 1972
 1 paratype Mariana Ids.
- Eremias aporosceles** (Alcock and Finn); see *Scaptira aporosceles* Alcock and Finn

Eremias velox caucasia Lantz, 1928

2 cotypes

U.S.S.R.

Eublepharis afghanicus Börner, 1976

Holotype: FMNH 161142

Afghanistan

Eumeces brevirostris indubitus Taylor, see *Eumeces indubitus*
Taylor**Eumeces copei** Taylor, 1933

Holotype: FMNH 100120

Mexico

Eumeces indubitus Taylor, 1934= *Eumeces brevirostris indubitus* Taylor, 1934

Holotype: FMNH 100084

Mexico

Eumeces ochoterenae Taylor, 1933

Holotype: FMNH 100119; 4 paratypes

Mexico

Eumeces septentrionalis pallidus H. M. Smith and Slater, 1949

3 paratypes

Texas

Gekko palawanensis Taylor, 1925

2 paratypes

Philippine Ids.

Gekko petricolis Taylor, 1962

Holotype: FMNH 178275; 4 paratypes

Thailand

Gekko smaragdinus Taylor, 1922

1 paratype

Philippine Ids.

Gonatodes bodinii Blanco, 1964

1 paratype

Venezuela

Gonatodes taniae Roze, 1963

1 paratype

Venezuela

- | | |
|---|-----------------|
| Gymnodactylus russowi Strauch, 1887
= <i>Cyrtodactylus russowi</i> (Strauch), 1887
2 cotypes | Uzbek, U.S.S.R. |
| Hemidactylus albofasciatus Grandison and Soman, 1963
1 paratype | India |
| Leiolepis belliana ocellata Peters, 1971
1 paratype | Thailand |
| Leiolopisma assatum taylori Oliver, 1937
= <i>Sphenomorphus assatum taylori</i> (Oliver), 1937
2 paratypes | Mexico |
| Leiolopisma caudaequinae H. M. Smith, 1951
= <i>Scincilla caudaequinae</i> (H. M. Smith), 1951
3 paratypes | Mexico |
| Leiolopisma cherriei lampropholis Taylor, 1956
= <i>Sphenomorphus cherriei lampropholis</i> (Taylor), 1956
3 paratypes | Costa Rica |
| Leiolopisma forbesorum Taylor, 1937
= <i>Scincella forbesorum</i> (Taylor), 1937
Holotype: FMNH 100031; 5 paratypes | Mexico |
| Leiolopisma siamensis Taylor and Elbel, 1958
= <i>Scincella siamensis</i> (Taylor and Elbel), 1958
Holotype: FMNH 135985 | Thailand |
| Leiolopisma silvicolum Taylor, 1936
= <i>Scincella silvicola</i> (Taylor), 1936
Holotype: FMNH 100008 | Mexico |
| Lepidoblepharus barbouri Noble, 1921
= <i>Pseudogonatodes barbouri</i> (Noble), 1921
2 paratypes | Peru |

Lepidophyma flavimaculatum tehuanae H. M. Smith; see
Lepidophyma smithii tehuanae H. M. Smith

Lepidophyma smithii tehuanae H. M. Smith, 1942

= *Lepidophyma flavimaculatum tehuanae* H. M. Smith, 1942
1 paratype Mexico

Lepidophyma sylvatica Taylor, 1939

Holotype: FMNH 100102; 2 paratypes Mexico

Leposoma ioanna Uzzell and Barry, 1971

Holotype: FMNH 165798; 1 paratype Colombia

Leposoma southi Ruthven and Gaige, 1924

1 paratype Panama

Lipinia pulchellum levitonii (Brown and Alcala); see *Lygosoma (Leiopolisma) pulchellum levitonii* Brown and Alcala

Lipinia relicta (Vinciguerra); see *Lygosoma (Siaphos) relictum*
Vinciguerra

Lipinia vittigera microcercum (Boettger); see *Lygosoma vittigera kronfanum* M. A. Smith

Luperosaurus amissus Taylor, 1962

Holotype: FMNH 178217 Philippine Ids.

Lygodactylus somalicus battersbyi Pasteur, 1962

1 paratype British Somaliland

Lygosoma (Omolepida) antoniorum M. A. Smith, 1927

= *Sphenomorphus antoniorum* (M. A. Smith), 1927
1 paratype Timor

Lygosoma (Hinuila) malayanum Doria, 1888

1 paratype Sumatra

- Lygosoma (Leioploisma) pulchellum levitoni** Brown and Alcala, 1963
 = *Lipinia pulchellum levitoni* (Brown and Alcala), 1963
 Holotype: FMNH 120953; 2 paratypes Philippine Ids.
- Lygosoma (Siaphos) relictum** Vinciguerra, 1892
 = *Lipinia relicta* (Vinciguerra), 1892
 1 paratype Enggano Id.
- Lygosoma tersum** M. A. Smith, 1916
 = *Sphenomorphus tersus* (M. A. Smith), 1916
 1 paratype Thailand
- Lygosoma (Sphenomorphus) variegatum stickeli** Loveridge, 1948
 1 paratype New Guinea
- Lygosoma vittigerum kronfanum** M. A. Smith, 1922
 = *Lipinia vittigera microcercum* (Boettger), 1901
 1 paratype Thailand
- Mabuya floweri** Taylor, 1950
 1 paratype Ceylon
- Mabuya macularia malcolmi** Taylor and Elbel, 1958
 Holotype: FMNH 178216 Thailand
- Mabuya macularia quadrifasciata** Taylor and Elbel, 1958
 Holotype: FMNH 135335 Thailand
- Melanoseps ater misukuensis** Loveridge, 1958
 1 paratype Nyasaland
- Millotisaurus mirabilis** Pasteur, 1962
 1 paratype Madagascar
- Nessia derianiyagalai** Taylor, 1950
 Holotype: FMNH 178287 Ceylon

- Neusticurus strangulatus trachodus** Uzzell, 1966
Holotype: FMNH 55992; 5 paratypes Peru
- Ophiomorus raithmai** Anderson and Leviton, 1966
1 paratype Pakistan
- Ophiomorus streeti** Anderson and Leviton, 1966
Holotype: FMNH 141551 Iran
- Pachydactylus capensis katanganus** Witte, 1953
2 paratypes Belgian Congo
- Peropus angusticaudus** Taylor, 1963
Holotype: FMNH 178203; 3 paratypes Thailand
- Peropus fehlmanni** Taylor, 1962
Holotype: FMNH 178207 Thailand
- Peropus laceratus** Taylor, 1962
Holotype: 178208; 3 paratypes Thailand
- Phoxophrys borneensis** Inger, 1960
2 paratypes Borneo
- Phyllodactylus angustidigitus** Dixon and Huey, 1970
4 paratypes Peru
- Phyllodactylus bordai** Taylor, 1942
3 paratypes Mexico
- Phyllodactylus davisi** Dixon, 1964
4 paratypes Mexico
- Phyllodactylus homolepidurus** H. M. Smith, 1935
Holotype: 100111; 18 paratypes Mexico

Phyllodactylus insularis Dixon, 1960		
Holotype: FMNH 34633; 5 paratypes		British Honduras
Phyllodactylus kofordi Dixon and Huey, 1970		
4 paratypes		Peru
Phyllodactylus lanei H. M. Smith, 1935		
Holotype: FMNH 100067; 13 paratypes		Mexico
Phyllodactylus lanei rupinus Dixon, 1964		
52 paratypes		Mexico
Phyllodactylus magnus Taylor, 1942		
= <i>Phyllodactylus tuberculosus magnus</i> Taylor, 1942		
Holotype: FMNH 100005; 13 paratypes		Mexico
Phyllodactylus melanostictus Taylor, 1962		
Holotype: FMNH 178231; 1 paratype		Thailand
Phyllodactylus muralis Taylor, 1940		
Holotype: FMNH 100090; 39 paratypes		Mexico
Phyllodactylus muralis isthmus Dixon, 1964		
67 paratypes		Mexico
Phyllodactylus pumilus Dixon, 1964		
1 paratype		Ecuador
Phyllodactylus tuberculosus ingeri Dixon, 1964		
2 paratypes		British Honduras
Phyllodactylus tuberculosus magnus Taylor; see		
<i>Phyllodactylus magnus</i> Taylor		
Phyllodactylus xanti nocticotis Dixon, 1964		
3 paratypes		California

Prionodactylus dicus Uzzell, 1973

Holotype: FMNH 36708; 2 paratypes

Ecuador

Prionodactylus marianus Ruthven, 1921= *Prionodactylus vertebralis* (O'Shaughnessy), 1879

1 paratype

Colombia

Prionodactylus vertebralis (O'Shaughnessy); see *Prionodactylus marianus* Ruthven**Pseudogonatodes barbouri** (Noble); see *Lepidoblepharus barbouri* Noble**Ptychoglossus plicatus** (Taylor); see *Alopoglossus plicatus* Taylor**Rhodona karlschmidti** Marx and Hosmer, 1959

Holotype: FMNH 97957; 2 paratypes

Australia

Riopa frontoparietalis Taylor, 1962

Holotype: FMNH 178362; 4 paratypes

Thailand

Riopa haroldyoungi Taylor, 1962

Holotype: FMNH 178213

Thailand

Saurodactylus mauritanicus brosseti Bons and Pasteur, 1957

3 paratypes

French Morocco

Scaptira aporosceles Alcock and Finn, 1896= *Eremias aporosceles* (Alcock and Finn), 1896

1 cotype

Baluchistan

Sceloporus edwardtaylori H. M. Smith, 1936

Holotype: FMNH 100058; 16 paratypes

Mexico

Sceloporus formosus scitulus H. M. Smith, 1942

Holotype: FMNH 100012; 11 paratypes

Mexico

<i>Sceloporus horridus albiventris</i> H. M. Smith, 1939 Holotype: FMNH 100057; 4 paratypes	Mexico
<i>Sceloporus insignis</i> Webb, 1967 1 paratype	Mexico
<i>Sceloporus jarrovii immucronatus</i> H. M. Smith, 1937 Holotype: FMNH 100056; 8 paratypes	Mexico
<i>Sceloporus jarrovii sugillatus</i> H. M. Smith, 1942 7 paratypes	Mexico
<i>Sceloporus lundelli lundelli</i> H. M. Smith, 1939 4 paratypes	Mexico
<i>Sceloporus megalepidurus</i> H. M. Smith, 1934 Holotype: FMNH: 100107; 20 paratypes	Mexico
<i>Sceloporus melanorhinus calligaster</i> H. M. Smith, 1942 14 paratypes	Mexico
<i>Sceloporus merriami australis</i> Williams, Smith, and Chraplyw, 1960 37 paratypes	Mexico
<i>Sceloporus mucronotus aureolus</i> H. M. Smith, 1938 18 paratypes	Mexico
<i>Sceloporus ochoterenae</i> H. M. Smith, 1934 Holotype: FMNH 100052	Mexico
<i>Sceloporus parvus</i> H. M. Smith, 1934 Holotype: FMNH 100125; 2 paratypes	Mexico
<i>Sceloporus poinsetti macrolepis</i> Smith and Chraplyw, 1958 10 paratypes	Mexico

Sceloporus scalaris unicantalis H. M. Smith, 1937

Holotype: FMNH 100101; 1 paratype

Mexico

Sceloporus stejnegeri H. M. Smith, 1942

4 paratypes

Mexico

Scincella caudaequinae (H. M. Smith); see *Leiolopisma caudaequinae* H. M. Smith

Scincella forbesorum (Taylor); see *Leiolopisma forbesorum* Taylor

Scincella siamensis (Taylor and Elbel); see *Leiolopisma siamensis* Taylor and Elbel

Scincella silvicola (Taylor); see *Leiolopisma silvicolum* (Taylor)

Sphaerodactylus macrolepis parvus King, 1962

16 paratypes

Virgin Ids.

Sphenomorphus antoniorum (M. A. Smith); see *Lygosoma (Omolepida) antoniorum* M. A. Smith

Sphenomorphus assatum taylori (Oliver); see *Leiolopisma assatum taylori* Oliver

Sphenomorphus cherriei lampropholis (Taylor); see *Leiolopisma cherriei lampropholis* Taylor

Sphenomorphus cyanolaemus Inger and Hosmer, 1965

Holotype: FMNH 148567; 19 paratypes

Sarawak

Sphenomorphus haasi Inger and Hosmer, 1965

Holotype: FMNH 148565; 5 paratypes

Sarawak

Sphenomorphus jagori divergens Taylor, 1922

4 cotypes

Philippine Ids.

Sphenomorphus lineopunctulatus Taylor, 1962		
Holotype: FMNH 178215		Thailand
Sphenomorphus maculicollus Bacon, 1967		
Holotype: FMNH 161484		Sarawak
Sphenomorphus melanopleurus Inger, 1958		
Holotype: FMNH 78383; 70 paratypes		New Guinea
Sphenomorphus multisquamatus Inger, 1958		
2 paratypes		Borneo
Sphenomorphus rufogulus Taylor, 1950		
Holotype: FMNH 120229; 23 paratypes		Ceylon
Sphenomorphus sabanus Inger, 1958		
Holotype: FMNH 63671; 29 paratypes		Borneo
Sphenomorphus tersus (M. A. Smith); see <i>Lygosoma tersum</i>		
M. A. Smith		
Stenocercus empetrus Fritts, 1972		
5 paratypes		Peru
Tribolonotus ponceleti Kinghorn, 1937		
5 paratypes		Solomon Ids.
Tropidophorus laotus M. A. Smith, 1923		
1 cotype		Laos
Tropidophorus robinsoni M. A. Smith, 1919		
2 paratypes		Thailand
Tropiocolotes heteropholis Minton, 1970		
Holotype: FMNH 74549		Iraq

Typhlosaurus lineatus jappi Broadley, 1968
3 paratypes Northern Rhodesia

Uta taylori H. M. Smith, 1935
Holotype: FMNH 100097; 17 paratypes Mexico

Xantusia vigilis utahensis Tanner, 1957
1 paratype Utah

SERPENTES

Adelphicos veraepacis Stuart, 1941
1 paratype Guatemala

Adelphicos veraepacis nigrilatus H. M. Smith, 1942
Holotype: FMNH 100110; 7 paratypes Mexico

Agkistrodon bilineatus russeolus Gloyd, 1972
2 paratypes Mexico

Agkistrodon contortrix phaeogaster Gloyd, 1969
2 paratypes Kansas

Agkistrodon piscivorus conanti Gloyd, 1969
2 paratypes Florida

Amphiesma sauteri maximus Malnate, 1962
Holotype: FMNH 18796; 1 paratype China

Atractus obesus Marx, 1960
Holotype: FMNH 69661; 1 paratype Colombia

Atractus sanctaemartae Dunn, 1946
1 paratype Colombia

Atractus steyermarki Roze, 1958
Holotype: FMNH 69920; 1 paratype Venezuela

Boiga ocellata Kroon, 1973

Holotype: FMNH 191997; 6 paratypes

Thailand

Bothrops bilineatus smaragdinus Hoge, 1965

3 paratypes

Peru and Bolivia

Bothrops lichenosa Roze, 1958

Holotype: FMNH 74043

Venezuela

Bothrops melanurus (Muller); see *Trimeresurus gasciai* H. M. Smith**Calamaria bogorensis** Lidth de Jeude, 1890= *Calamaria modesta* Duméril and Bibron, 1854

2 cotypes

Java

Calamaria eiselti Inger and Marx, 1965

1 paratype

Sumatra

Calarmia fraseri Taylor, 1962= *Calamaria lowi gimletti* Boulenger, 1905

Holotype: FMNH 178222

Malaya

Calamaria hilleniusi Inger and Marx, 1965

1 paratype

Borneo

Calamaria lowi gimletti Boulenger; see *Calamaria fraseri* Taylor**Calamaria modesta** Duméril and Bibron; see *Calamaria bogorensis* Lidth de Jeude**Calamaria palavanensis** Inger and Marx, 1965

1 paratype

Philippine Ids.

Calamaria s. schlegeli Duméril and Bibron; see *Keiometopon booliati* Taylor

Calamaria suluensis Taylor, 1922

Neotype: FMNH 76294

North Borneo

Causus lineatus Laurent, 1955

2 paratypes

Belgian Congo

Coniophanes fissidens dispersus H. M. Smith, 1941

Holotype: FMNH 100130; 1 paratype

Mexico

Coniophanes lateritinus Cope, 1862

Neotype: FMNH 100032

Mexico

Coniophanes piceivittis taylori Hall, 1951

Holotype: FMNH 100868; 2 paratypes

Mexico

Conopsis biserialis Taylor and Smith, 1942

Holotype: FMNH 100062; 59 paratypes

Mexico

Conopsis nasus labialis Tanner, 1961

1 paratype

Mexico

Crotalus durissus culminatus Klauber, 1952

Holotype: FMNH 126616; 7 paratypes

Mexico

Crotalus gloydi laetus H. M. Smith, 1946

= *Crotalus i. intermedius* Troschel, 1865

1 paratype

Mexico

Crotalus i. intermedius Troschel; see *Crotalus gloydi laetus* H.

M. Smith; *Crotalus triseriatus anahuacus* Gloyd

Crotalus transversus Taylor, 1940

Holotype: FMNH 100129; 1 paratype

Mexico

Crotalus triseriatus anahuacus Gloyd, 1940

= *Crotalus i. intermedius* Troschel, 1865 (part)

= *Crotalus t. triseriatus* (Wagler), 1830 (part)
 2 paratypes Mexico

Crotalus t. triseriatus (Wagler); see *Crotalus triseriatus anahuacus* Gloyd

Drymarchon corais unicolor H. M. Smith, 1941
 1 paratype

Mexico

Geophis blanchardi Taylor and Smith, 1939
 Holotype: FMNH 100037; 3 paratypes

Mexico

Helicops petersi Rossman, 1976
 1 paratype

Ecuador

Hypsiglena torquata martinensis Tanner and Banta, 1962
 Holotype: FMNH 130288

Mexico

Keiometopon booliati Taylor, 1962
 = *Calamaria s. schlegeli* Duméril and Bibron, 1854
 Holotype: FMNH 178233

Malaya

Lampropeltis knoblochi Taylor, 1940
 Holotype: FMNH 100013; 1 paratype

Mexico

Lampropeltis polyzona blanchardi Stuart, 1935
 = *Lampropeltis triangulum blanchardi* Stuart, 1935
 1 paratype

Mexico

Lampropeltis triangulum blanchardi Stuart; see *Lampropeltis polyzona blanchardi* Stuart

Leimadophis zweifeli Roze, 1959
 1 paratype

Venezuela

Leptodeira bakeri Ruthven, 1936
 1 paratype

West Indies

Leptodeira bressoni Taylor, 1938

= *Leptodeira splendida bressoni* Taylor, 1938

Holotype: FMNH 100081; 2 paratypes

Mexico

Leptodeira maculata (Hallowell); see *Leptodeira smithi* Taylor**Leptodeira smithi** Taylor, 1939

= *Leptodeira maculata* (Hallowell), 1861

Holotype: FMNH 100060; 4 paratypes

Mexico

Leptodeira splendida bressoni Taylor; see *Leptodeira bressoni* Taylor**Leptotyphlops anthracinus** Bailey, 1946

1 paratype

Ecuador

Leptotyphlops bakewelli Oliver, 1937

1 paratype

Mexico

Liophis ingeri Roze, 1958

Holotype: FMNH 74038

Venezuela

Macrocalamus tweediei Liat, 1963

1 paratype

Borneo

Masticophis taeniatus australis H. M. Smith, 1941

1 paratype

Mexico

Micrurus browni taylori Schmidt and Smith; see *Micrurus nuchalis taylori* Schmidt and Smith**Micrurus fitzingeri microgalbineus** Brown and Smith, 1942

= *Micrurus fulvius microgalbineus* Brown and Smith, 1942

1 paratype

Mexico

Micrurus fulvius microgalbineus Brown and Smith; see

Micrurus fitzingeri microgalbineus Brown and Smith

- Micrurus lemniscatus carvalhoi** Roze, 1967
6 paratypes Brazil
- Micrurus nuchalis taylori** Schmidt and Smith, 1943
= *Micrurus browni taylori* Schmidt and Smith, 1943
Holotype: FMNH 100051 Mexico
- Micrurus psyches medemi** Roze, 1967
1 paratype Colombia
- Naja melanoleuca subfulva** Laurent, 1955
= *Naja melanoleuca* Hallowell, 1857
1 paratype Belgian Congo
- Natrix firestonei** Taylor and Weyer, 1958
Holotype: FMNH 100709 Liberia
- Natrix harteri paucimaculata** Tinkle and Conant, 1961
2 paratypes Texas
- Natrix rigida sinicola** Hueey, 1959
3 paratypes USA
- Natrix valida thamnophisioides** Conant, 1961
2 paratypes Mexico
- Ninia diademata plorator** H. M. Smith, 1942
Holotype: FMNH 100042 Mexico
- Oligodon cyclurus superfluens** Taylor, 1965
Holotype: FMNH 178332 Thailand
- Parahelicops boonsongi** Taylor and Elbel, 1958
Holotype: FMNH 135328 Thailand
- Philothamnus irregularis battersbyi** Loveridge, 1951
6 paratypes Kenya

- Pliocercus elapoides laticollaris** H. M. Smith, 1941
2 paratypes Mexico
- Prosymna meleagris laurenti** Loveridge, 1958
14 paratypes Anglo-Egyptian Sudan
- Psammophis aegyptius** Marx, 1958
Holotype: FMNH 75092; 3 paratypes Egypt
- Psammophylax multisquamis** (Loveridge); see *Trimerorhinus tritaeniatus multisquamis* Loveridge
- Pseudoficimia frontalis** (Cope); see *Pseudoficimia pulcherrima* Taylor and Smith
- Pseudoficimia pulcherrima** Taylor and Smith, 1942
= *Pseudoficimia frontalis* (Cope), 1864
Holotype: FMNH 100061 Mexico
- Pseudorhabdion albonuchalis** (Gunther), 1896
Neotype: FMNH 151709 Sarawak
- Rhadinaea aemula** Bailey, 1940
= *Rhadinaea taeniata aemula* Bailey, 1940
1 paratype Mexico
- Rhadinaea crassa** H. M. Smith, 1942
= *Rhadinaea gaigeae* Bailey, 1937
Holotype: FMNH 100123; 2 paratypes Mexico
- Rhadinaea forbesi** H. M. Smith, 1942
1 paratype Mexico
- Rhadinaea gaigeae** Bailey; see *Rhadinaea crassa* H. M. Smith
- Rhadinaea hesperia** Bailey; see *Rhadinaea hesperia baileyi* H. M. Smith

- Rhadinaea hesperia baileyi** H. M. Smith, 1942
 = *Rhadinaea hesperia* Bailey, 1940
 Holotype: FMNH 100028 Mexico
- Rhadinaea schistosa** (H. M. Smith); see *Rhadinella schistosa* H. M. Smith
- Rhadinaea taeniata aemula** Bailey; see *Rhadinaea aemula* Bailey
- Rhadinella schistosa** H. M. Smith, 1941
 = *Rhadinaea schistosa* (H. M. Smith), 1941
 Holotype: FMNH 100065; 3 paratypes Mexico
- Rhamphiophis acutus wittei** Laurent, 1956
 2 paratypes Belgian Congo
- Salvadora intermedia** Hartweg, 1940
 1 paratype Mexico
- Scaphiodontophis albonuchalis** Taylor and Smith, 1943
 = *Scaphiodontophis z. zeteki* (Dunn), 1930
 1 paratype Mexico
- Scaphiodontophis z. zeteki** (Dunn); see *Scaphiodontophis albonuchalis* Taylor and Smith
- Sibon nebulata hartwegi** Peters, 1960
 Holotype: FMNH 27580 Colombia
- Sibon nebulata popayanensis** Peters, 1960
 Holotype: FMNH 54947; 12 paratypes Colombia
- Sonora michoacanensis mutabilis** Stickel, 1943
 Holotype: FMNH 105297; 1 paratype Mexico

Stegonotus borneensis Inger, 1967

Holotype: FMNH 164746

Sarawak

Sympolis lippiens rectilimbus Hensley, 1966

Holotype: FMNH 63743

Mexico

Tantilla brevissima Taylor, 1937

1 paratype

Mexico

Tantilla wilcoxi rubricata H. M. Smith, 1942

1 paratype

Mexico

Thamnodynastes chimanta Roze, 1958

Holotype: FMNH 74042; 1 paratype

Venezuela

Thamnophis dorsalis cyclides Cope; see *Thamnophis vicinus*

H. M. Smith

Thamnophis dorsalis postremus H. M. Smith; see *Thamnophis eques postremus* H. M. Smith**Thamnophis eques postremus** H. M. Smith, 1942= *Thamnophis dorsalis postremus* H. M. Smith, 1942

Holotype: FMNH 120235; 2 paratypes

Mexico

Thamnophis melanogaster canescens H. M. Smith, 1942

Holotype: FMNH 100016; 50 paratypes

Mexico

Thamnophis ruthveni Hartweg and Oliver, 1938

1 paratype

Mexico

Thamnophis vicinus H. M. Smith, 1942= *Thamnophis dorsalis cyclides* Cope, 1861

Holotype: FMNH 100098; 6 paratypes

Mexico

Toluca conica Taylor and Smith, 1942

Holotype: FMNH 120233; 3 paratypes

Mexico

Trimeresurus gaciai H. M. Smith, 1940 = <i>Bothrops melanurus</i> (Muller), 1923 Holotype: FMNH 120234; 1 paratype	Mexico
Trimerorhinus tritaeniatus multisquamis Loveridge, 1932 = <i>Psammophylax multisquamis</i> (Loveridge), 1932 6 paratypes	Kenya and Abyssinia
Tropidodipsas guerreroensis Taylor, 1940 Holotype: FMNH 100070	Mexico
Typhlops khoratensis Taylor, 1962 Holotype: FMNH 178263; 3 paratypes	Thailand
Typhlops klemmeri Taylor, 1962 Holotype: FMNH 178238	Malaya
Typhlops lankaensis Taylor, 1947 Holotype: FMNH 100066; 14 paratypes	Ceylon
Typhlops leprosus Taylor and Weyer, 1958 Holotype: FMNH 120231	Liberia
Typhlops malcolmi Taylor, 1947 1 paratype	Ceylon
Typhlops pseudosaurus Dryden and Taylor, 1969 Holotype: FMNH 189357	Guam
Typhlops schmidti tanganicanus Laurent, 1964 1 paratype	Tanganyika
Typhlops tenebrarum Taylor, 1947 2 paratypes	Ceylon
Typhlops trangensis Taylor, 1962 Holotype: FMNH 178236	Thailand

Typhlops veddae Taylor, 1947
Holotype: FMNH 100033

Ceylon

Typhlops violaceus Taylor, 1947
Holotype: FMNH 100068

Ceylon

Xenodon mexicanus H. M. Smith, 1940
= *Xenodon rabdocephalus mexicanus* H. M. Smith, 1940
1 paratype

Mexico

REFERENCES

MARX, HYMEN

1958. Catalogue of type specimens of reptiles and amphibians in Chicago Natural History Museum. *Fieldiana, Zool.*, 36 pp. 407-496.

WAKE, DAVID D., Chairman

1975. Final Report.—Committee on Resources in Herpetology. Association of Systematic Collections, pp. 1-39; app. 1-4.